Doc M changing room pack with stainless steel luxury concealed fixing grab rails



Product details

Warranty:	See individual products
Max rated load:	See individual products
Doc M compliant:	Yes
Suitable for wet areas:	Yes

Features

- Complies with Part M of the Building Regulations
- Concealed fixing stainless steel grab rails
- Stainless steel hinged support rail with concealed fixings
- Simple one box solution

Finish options



Satin Stainless Steel

Polished Stainless Steel




Product description	Product code
Doc M changing room pack, stainless steel, luxury rails, matt black (RAL 9005)	321106/MB
Doc M changing room pack, stainless steel, luxury rails, polished	321106/SP
Doc M changing room pack, stainless steel, luxury rails, satin	321106/SS

Disclaimer

Pack contents

- 1 x Doc M shower seat
- 3 x 600mm stainless steel luxury grab rail with concealed fixings
- 1 x 450mm stainless steel luxury grab rail with concealed fixing
- 2 x 800mm stainless steel contemporary hinged support rail with concealed fixing
- 2 x Single robe hook

Dimensions (mm)



Wall mounted polished aluminium Doc M shower seat



Product details

Warranty:	5 years
Max rated load:	250 kg
Doc M compliant:	Yes
Suitable for wet areas:	Yes

Features

- Complies with Part M of the Building Regulations
- Extended projection to allow easier side transfer from wheelchair
- Non-corrosive Aluminium and stainless frame
- Durable clip on plastic seat
- Adjustable height
- Drainage holes for easy-drain
- Back support for optimum comfort
- Closed cell polyurethane pad for maximum hygiene and comfort

Finish options



Product description


Doc M shower seat, 650mm projection, polished frame, black pads


Product code

SB-085/BL

Disclaimer

Dimensions (mm)





NYMAS <u>GROUP</u>

Luxury straight stainless steel grab rail with concealed fixings



Product details

Warranty:	5 years
Max rated load:	200 kg
Doc M compliant:	Yes
Suitable for wet areas:	Yes

Features

- High quality stainless steel construction
- Concealed fixings
- Stylish T-bar design
- Complies with Part M of the Building Regulations

Product code

Finish options



Satin Stainless Steel

SP Polished

Stainless Steel




Product description

Luxury grab rail, straight, stainless steel, concealed fixings, 355mm	311435/**
Luxury grab rail, straight, stainless steel, concealed fixings, 480mm	311448/**
Luxury grab rail, straight, stainless steel, concealed fixings, 620mm	311462/**
Luxury grab rail, straight, stainless steel, concealed fixings, 900mm	311490/**

Replace ** with finish option code above e.g., 311435/SP

Disclaimer

Dimensions (mm)



PRODUCT CODE	311435/**	311448/**	311462/**	311490/**
DIM 'A'	355	480	620	900

Contemporary stainless steel single arm friction hinged rail with concealed fixing



Product details

Warranty:	5 years
Max rated load:	90 kg
Doc M compliant:	Yes
Suitable for wet areas:	Yes

Features

- Contemporary single arm design
- Premium friction folding mechanism
- High quality stainless steel construction
- Complies with Part M of the Building Regulations

Finish options



Satin Stainless Steel

Polished Stainless Steel



Product description

Contemporary single arm friction rail, stainless steel, concealed fixings

Product code


310480C/**


Stary single and metion rail, stanless steel, conceated hangs

Replace ** with finish option code above e.g., 310480C/SP

Disclaimer

Dimensions (mm)





NYMA PRO

Single aluminium robe hook



Product details	
Warranty:	2 years
Max rated load:	n/a
Doc M compliant:	Yes
Suitable for wet areas:	Yes

Features

- Aluminium construction
- Colour options available for visually impaired
- Complies with Part M of the Building Regulations

Finish options



DB Dark blue RAL 5011





Product description	Product code
Single robe hook, aluminium, dark blue (RAL 5011)	141701/DB
Single robe hook, aluminium, dark grey (RAL 7016)	141701/DG
Single robe hook, aluminium, grey (RAL 7005)	141701/GY
Single robe hook, aluminium, white (RAL 9016)	141701/WH

Disclaimer

NYMA PRO

Dimensions (mm)

